



PPS25: Flood Zones Definition

| Flood Zone | Definition | Appropriate uses | FRA requirements | Policy aims |
|--|--|---|--|---|
| Zone 1 Low Probability | This zone comprises land assessed as having a less than 1 in 1000 annual probability of river or sea flooding in any year (<0.1%). | All uses of land are appropriate in this zone. | For development proposals on sites comprising one hectare or above the vulnerability to flooding from other sources as well as from river and sea flooding, and the potential to increase flood risk elsewhere through the addition of hard surfaces and the effect of the new development on surface water runoff, should be incorporated in a FRA. The need only be brief unless the factors above or other local considerations require particular attention. See Annex E for minimum requirements. | In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development, and the appropriate application of sustainable drainage techniques. |
| Zone 2 Medium Probability | This zone comprises land assessed as having between a 1 in 100 and 1 in 1000 annual probability of river flooding (1% - 0.1%) or between a 1 in 200 and 1 in 1000 annual probability of sea flooding (0.5% - 0.1%) in any year. | The water-compatible, less vulnerable and more valuable uses of land and essential infrastructure in Table D.2 are appropriate in this zone. The highly vulnerable uses in Table D.2 are only permitted in this zone if the Exception Test (see para. D.9) is passed. | All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements. | In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development, and the appropriate application of sustainable drainage techniques, and: <ul style="list-style-type: none"> relocate existing development to land in zones with a lower probability of flooding; and create space for flooding to occur by restoring functional floodplain and flood flow pathways and by operating, allocating and safeguarding open space for flood storage. |
| Zone 3a High Probability | This zone comprises land assessed as having a 1 in 100 or greater annual probability of river flooding (>1%) or a 1 in 200 or greater annual probability of flooding from the sea (>0.5%) in any year. | The water-compatible and less vulnerable uses of land in Table D.2 are appropriate in this zone. The more vulnerable and essential infrastructure uses in Table D.2 should only be permitted in this zone if the Exception Test (see para. D.9) is passed. Essential infrastructure permitted in this zone should be designed and constructed to remain operational and safe for users in times of flood. | All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements. | In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development and the appropriate application of sustainable drainage techniques, and: <ul style="list-style-type: none"> relocate existing development to land in zones with a lower probability of flooding; and create space for flooding to occur by restoring functional floodplain and flood flow pathways and by operating, allocating and safeguarding open space for flood storage. |
| Zone 3b The Functional Floodplain | This zone comprises land where water has to flow or be stored in times of flood. SFRAs should identify the Flood Zone (land which would flood with an annual probability of 1 in 20 (5%) or greater in any year or is designed to flood in an extreme (1 in 100 flood, or at another probability) to be agreed between the LPA and the Environment Agency, including water conveyance routes). | Essential infrastructure in this zone should pass the Exception Test. | All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements. | In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development and the appropriate application of sustainable drainage techniques, and: <ul style="list-style-type: none"> relocate existing development to land with a lower probability of flooding; |

PPS25: Flood Risk Vulnerability and Flood Zone "Compatibility"

| Flood Risk Vulnerability Classification | Essential Infrastructure | Water Compatible | Highly Vulnerable | More Vulnerable | Less Vulnerable |
|---|--------------------------|------------------|-------------------------|-------------------------|-----------------|
| Zone 1 | ✓ | ✓ | ✓ | ✓ | ✓ |
| Zone 2 | ✓ | ✓ | Exception Test Required | ✓ | ✓ |
| Zone 3a | Exception Test Required | ✓ | ✗ | Exception Test Required | ✓ |
| Zone 3b (Functional Floodplain) | Exception Test Required | ✓ | ✗ | ✗ | ✗ |

✓ : Development is appropriate
 ✗ : Development should not be permitted

PPS25: Flood Risk Vulnerability Classification

| | |
|-------------------------------------|--|
| Essential infrastructure | - Essential transport infrastructure (including mass evacuation routes) which has to cross the area at risk, and strategic utility infrastructure, including electricity generating power stations and grid and primary substations. |
| Highly Vulnerable | - Police stations, Ambulance stations and Fire stations and Command Centres and telecommunications installations required to be operational during flooding. - Emergency disposal points. - Boarding dwellings. - Caravans, mobile homes and park homes intended for permanent residential use. - Installations requiring hazardous substances consent 19. |
| More Vulnerable | - Hospitals. - Residential institutions such as residential care homes, children's homes, social services homes, prisons and hostels. - Buildings used for: dwelling houses, student halls of residence, drinking establishments, nightclubs, and hotels. - Non-residential uses for health services, nurseries and educational establishments. - Landfill and sites used for waste management facilities for hazardous waste 20. - Sites used for holiday or short-let caravans and camping, subject to a specific warning and evacuation plan. |
| Less Vulnerable | - Buildings used for: shops, financial, professional and other services, restaurants and cafes, food takeaways, offices, general industry, storage and distribution, non-residential institutions not included in more vulnerable, and assembly and leisure. - Land and buildings used for agriculture and forestry. - Waste treatment (except landfill and hazardous waste facilities). - Minerals working and processing (except for sand and gravel working). - Water treatment plants. - Sewage treatment plants (if adequate pollution control measures are in place). |
| Water-compatible Development | - Flood control infrastructure. - Water transmission infrastructure and pumping stations. - Sewage transmission infrastructure and pumping stations. - Sand and gravel workings. - Docks, marinas and wharves. - Navigation facilities. - MOD defence installations. - Ship building, repairing and dismantling, dockside fish processing and refrigeration and compatible activities requiring a waterside location. - Water-based recreation (excluding sleeping accommodation). - Lifeguard and coastguard stations. - Amenity open space, nature conservation and biodiversity, outdoor sports and recreation and essential facilities such as changing rooms. - Essential ancillary sleeping or residential accommodation for staff required by users in this category, subject to a specific warning and evacuation plan. |


This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Forest of Dean District Council. 100019102, (2008).

Project- GLOUCESTERSHIRE STRATEGIC FLOOD RISK ASSESSMENT

Title C3:- STRATEGIC FLOOD RISK MAP SHOWING FLOODING DUE TO CLIMATE CHANGE FOREST OF DEAN DISTRICT COUNCIL

| Rev. | By | Date | Description |
|------|----|------|-------------|
| | | | |

| | | | | | | | |
|-------------|--------------|------------|------------|----------------|--------------|-------------|-------------------------|
| Drawn By | - A J Bryan | Revision | - | Drawing Scale | - 1:25,000 | Drawing No. | - WB/GLOS/DRAWING - 004 |
| Checked By | - B L Dunn | Status | FINAL | Sheet No. | - 3 of 7 | Date | - 26 March 2008 |
| Approved By | - J R Parkin | Plot Scale | - 1:1 @ A1 | Issuing Office | - Birmingham | | |



Legend:-

- Council Boundary
- Main River Centreline
- Flood Zone 3a (High Probability)
- Flood Zone 3b (Functional Floodplain)

